


FORENSIC NOTEBOOK DRIVEDOCK™V4

Image 2.5" Notebook drives via FireWire 800 (400 compatible)
OR USB with Fourth Generation write-blocked field imager



New write-blocked accesses through USB OR FireWire

Now WiebeTech's proprietary write-blocked technology offers easy read-only access to suspect notebook drives through USB as well as FireWire 800 (400 compatible) for more versatility. Download and image contents of a suspect drive without risk of data being written back to the drive. Because it's based on the Oxford 922 chip, FireWire transfer rates are really fast. And it's fully compatible with forensic acquisition and analysis software.

Even more LED indicators to monitor data transfer, including write-block feature

A new LED indicator assures you that write-block technology is active and protecting the data. Generation 4 is loaded with other indicators: FireWire attached, USB attached, +12V input jack active, disk drive power input jack active and +5V output active.

Better power status system; bus-powered over FireWire

Fourth Generation Forensic Notebook DriveDock gives you multiple powering options. It supports bus powering over FireWire so you should never need to use an AC adapter. However, it also supports powering via AC Adapter or 4-pin molex in case bus power is unavailable.

Easy to use!

Snap the suspect notebook drive into the Dock and attach a FireWire cable to a host computer for bus-power. Use the AC adapter or 4 pin molex if needed. Then download and image the entire contents to your computer. That's all it takes. For more protection to the drive, a mounting plate is attached to the dock to protect the drive's circuitry.

Rugged design, built to last

Grab it and go – Forensic Notebook DriveDock is tough as nails and made to last. The small and rugged case is constructed from briefcase-tough aluminum for durability.

Tested and Formatted

When you buy a drive from WiebeTech, we go the extra mile to make sure your product works for your computer. Before your order is shipped, it is individually tested and formatted to your needs whether it is Mac, PC or both.

FEATURES

Write-blocked

Protects drive's contents by preventing disk writes. Uses industry-proven WiebeTech write-block technology.

Daisy-chained Dual FireWire 800 Ports (400 Compatible); Single USB port

Endless configuration capabilities.

Bus Powering

Allows operation of 2.5" drives via FireWire bus power.

Write-block feature active

Identifies write protection technology is operational.

FireWire Host Detection LED

Identifies valid FireWire host attachment.

USB Host Detection LED

Identifies USB attachment.

+12V DC Power In

Allows powering using the included AC adapter.

Disk Drive Power In

Allows powering from standard 4-pin drive power connectors as is found in most computers.

+12V Power Input LED

Identifies valid power input source on +12V input jack.

Disk Drive Power In LED

Identifies valid power input source on 4-pin drive power input socket.

+12V LED

Verifies that power output is operational.

On / Off Switch

Allows Power Up / Down.

Rigid Connector and Ribbon Cable Connector

Allows flexible attachment to drives inside computers.

Plug and Play

No new drivers necessary for usage with Windows XP, Mac OS X and Linux distributions that support FireWire.

Aluminum case

Briefcase tough; excellent heat dissipation.

Small size

INCLUDES:

Order code: FONBV4

Forensic NoteBook DriveDock v4
Ribbon cable
AC adapter
FireWire 400 cable
USB cable
Drive bottom plate and screws
Information CD
Limited Warranty Statement

TECHNICAL SPECIFICATIONS

Interface

Two daisy-chainable FireWire 800 ports: OXFW922
USB2: Cypress C47C683008

Power

FireWire Bus Power

External power supply: 100-240VAC +12V / +3A
(Included)

Power input: +12V DC input jack; +12V / +5V standard
disk drive 4-pin jack (Molex connector)

Power output: +5V

Power switch: On / Off

LED Indicators

Write-block technology active

FireWire attached

USB attached

+12V input jack active

Disk drive power input jack active

+5V power operational

Access indicator

Data Speeds

FireWire 800: up to 800 Mbps

FireWire 400: up to 400 Mbps

USB2 port: up to 480 Mbps

Operating Temperature

50° - 85° Fahrenheit (10° - 30° Celsius)

Operating Humidity

5% to 95%, noncondensing

Drive Compatibility

2.5" Notebook

Operating System

Windows XP

Macintosh OS X

Linux distributions that support FireWire

Shipping Weight

2 lbs. (including AC adapter)

Dimensions

3.2" x 2.2" x 0.95" (81mm x 56mm x 24mm) exclusive
of attached plates, drives and cables

Certification

FCC, CE

First-class Tech Support

We don't want anything to go wrong with your WiebeTech product. But if it does, Tech Support is standing by and ready to help. We offer 90 days of free phone support at 1-866-744-8722. After 90 days, email support is available at support@wiebetech.com.